



thermokon®

HOME OF SENSOR TECHNOLOGY



THE USE FAMILY

FOR EASY AND FAST MOUNTING



THE USE FAMILY



THE **USE** FAMILY FOR EASY AND FAST MOUNTING

The innovative enclosures of the **USE** family are setting new standards: Mounting of sensors is easier, faster and more comfortable than ever before. **USE** makes the decisive difference.

USE – an intelligent and flexible mounting solution – no matter if for Temperaturee, humidity, air quality or pressure sensors: the **USE** devices enable various mounting methods: with clip, plate, flange or even rail-mounted.

For best possible application flexibility the enclosures of the **USE** family have various modular inserts and cable glands as well as corresponding changeable sealing inserts.

UNIVERSALLY MOUNTABLE

SAVING TIME

EASY TO INSTALL

UNIVERSALLY MOUNTABLE

- » Intelligent and flexible mounting solutions for Temperaturee, humidity, air quality, pressure sensors and others
- » Various modular inserts and cable glands (M20 or M25) as well as different changeable sealing inserts for different cable cross-sections



SAVING OF TIME*

- » No tools needed for opening, closing or wiring
- » High mounting flexibility
- » Removable cable glands



» become a **USER** | The **Thermokon**[®] USE Family

EASY TO INSTALL

- » Hinged-over (captive) with quick release fastener
- » Fast connection thanks to removable terminal clamps
- » Pre-assembly possible





BENEFITS AND HIGHLIGHTS

- » High-resolution coloured display (optional)
- » Application-specific, exchangeable inserts and cable glands
- » Visualization of device status and measured values using traffig light function (TLF)
- » Modular platform consisting of base and option PCBs
- » Threshold switch relays
- » Live-zero-signal (e.g. 1..10 V)
- » BACnet, LON and Modbus compatibility
- » Output signals 0..10 V and 4..20 mA
- » Configuration via "Thermokon® – USEapp"




THERMOKON® USEapp FOR INDIVIDUAL CONFIGURATION


All "USEapp" based products are supplied with a fully functional standard configuration.

Via the "USEapp" it is possible to extend the range of use and to adapt the configuration individually to application requirements.

- » Communication via Bluetooth® Low-Energy-Module (BLE)
- » Individual configuration of output signals
- » Setting of different measuring ranges
- » Additional adjustment of offset values
- » Parameterization of Live-Zero-Signal (1..10 V etc.)
- » Setting options for display indications
- » Customized parameterization of traffic-light function (TLF)
- » Setting of relay performance and thresholds
- » Modbus address offset (extension)
- » Possibility of firmware updates on-the-go (OTG)
- » Adjustment of maintenance intervals



» Available on the App Store and on Google Play:



TEMPERATURE 													
								Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories	
		USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp						
Room sensors	RPF40+	RPF40+ active	✓					M20	-	■	-	SET 2	
	RPF100+	RPF100+ active	✓					M20	-	■	-	SET 2	
	RDF-IR	V/VV		✓			✓	M20	-	■	-	SET 2	
Duct sensors	AKF10+	passiv	✓					M20	■	□	□	SET 1	
		TRV/TRA	✓					M20	■	□	□	SET 1	
		LCD TRV/TRA			✓			✓	M20	-	□	■	SET 2
		TRV relay		✓				✓	M25	-	□	■	SET 2
		LCD TRV relay			✓			✓	M25	-	□	■	SET 2
		BUS		✓				✓	M25	-	□	■	SET 2
		LCD BUS			✓			✓	M25	-	□	■	SET 2
	MWF+	passiv	✓						M20	-	-	■	SET 2
		TRV/TRA	✓						M20	-	-	■	SET 2
		LCD TRV/TRA			✓			✓	M20	-	□	■	SET 2
		TRV relay		✓				✓	M25	-	□	■	SET 2
		LCD TRV relay			✓			✓	M25	-	□	■	SET 2
		BUS		✓				✓	M25	-	□	■	SET 2
		LCD BUS			✓			✓	M25	-	□	■	SET 2
	MWF400+	passiv	✓						M20	■	□	□	SET 1
		TRV/TRA	✓						M20	■	□	□	SET 1
		LCD TRV/TRA			✓			✓	M20	-	□	■	SET 2
		TRV relay		✓				✓	M25	-	□	■	SET 2
		LCD TRV relay			✓			✓	M25	-	□	■	SET 2
		BUS		✓				✓	M25	-	□	■	SET 2
		LCD BUS			✓			✓	M25	-	□	■	SET 2



Explanation: ■ included in delivery □ optional - not compatible

ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

TEMPERATURE 								Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories	
		USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp						
Immersion sensors	SFK02+	passiv	✓					M20	-	-	-	SET 2	
		TRV/TRA	✓					M20	-	-	-	SET 2	
		LCD TRV/TRA			✓			✓	M20	-	-	-	SET 2
		TRV relay		✓				✓	M25	-	-	-	SET 2
		LCD TRV relay			✓			✓	M25	-	-	-	SET 2
		BUS		✓				✓	M25	-	-	-	SET 2
		LCD BUS			✓			✓	M25	-	-	-	SET 2
	SFK02+ FR	passiv	✓						M20	-	-	-	SET 2
		TRV/TRA	✓						M20	-	-	-	SET 2
		LCD TRV/TRA			✓			✓	M20	-	-	-	SET 2
		TRV relay		✓				✓	M25	-	-	-	SET 2
		LCD TRV relay			✓			✓	M25	-	-	-	SET 2
		BUS		✓				✓	M25	-	-	-	SET 2
		LCD BUS			✓			✓	M25	-	-	-	SET 2
	SFKH02+	passiv	✓						M20	-	-	-	SET 2
		TRV/TRA	✓						M20	-	-	-	SET 2
		LCD TRV/TRA			✓			✓	M20	-	-	-	SET 2
		TRV relay		✓				✓	M25	-	-	-	SET 2
		LCD TRV relay			✓			✓	M25	-	-	-	SET 2
		BUS		✓				✓	M25	-	-	-	SET 2
		LCD BUS			✓			✓	M25	-	-	-	SET 2

ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

TEMPERATURE 									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories	
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp						
Outdoor sensors	AGS54+	passiv	✓						M20	□	■	-	SET 2	
	AGS55+	passiv	✓						M20	□	■	-	SET 2	
		TRV/TRA	✓						M20	□	■	-	SET 2	
		LCD TRV/TRA			✓			✓	M20	□	■	-	SET 2	
		TRV relay			✓			✓	M25	□	■	-	SET 2	
		LCD TRV relay			✓			✓	M25	□	■	-	SET 2	
		BUS			✓			✓	M25	□	■	-	SET 2	
		LCD BUS			✓			✓	M25	□	■	-	SET 2	
Contact sensors	VFG54+	passiv	✓						M20	-	-	-	SET 2	
		TRV/TRA	✓						M20	-	-	-	SET 2	
		LCD TRV/TRA			✓			✓	M20	-	-	-	SET 2	
		TRV relay			✓			✓	M25	-	-	-	SET 2	
		LCD TRV relay			✓			✓	M25	-	-	-	SET 2	
		BUS			✓			✓	M25	-	-	-	SET 2	
		LCD BUS			✓			✓	M25	-	-	-	SET 2	
	AF25+	TRV/TRA	✓							M20	-	■	-	SET 2
		LCD TRV/TRA			✓			✓		M20	-	■	-	SET 2
		TRV relay			✓			✓		M25	-	■	-	SET 2
		LCD TRV relay			✓			✓		M25	-	■	-	SET 2
		BUS			✓			✓		M25	-	■	-	SET 2
		LCD BUS			✓			✓		M25	-	■	-	SET 2






ACCESSORIES (included in delivery)	
SET 1	Cable entry M16 1x
	Cover screw 1x
	Mounting clip 1x
	Sealing insert (rubber based) 1x
	Screws (countersunk head) 2x
	Screw cover 1x
SET 2	Cover screw 1x
	Screws (rounded head) 2x
	Rawlplugs 2x
	Screws (countersunk head) 2x
	Screw cover 1x

Explanation: ■ included in delivery □ optional - not compatible

TEMPERATURE 													
									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp					
Contact sensors	PR25+	TRV/TRA	✓						M20	-	■	-	SET 2
		LCD TRV/TRA			✓			✓	M20	-	■	-	SET 2
		TRV relay		✓				✓	M25	-	■	-	SET 2
		LCD TRV relay			✓			✓	M25	-	■	-	SET 2
		BUS		✓				✓	M25	-	■	-	SET 2
		LCD BUS			✓			✓	M25	-	■	-	SET 2
	OF14+	TRV/TRA	✓						M20	-	■	-	SET 2
		LCD TRV/TRA			✓			✓	M20	-	■	-	SET 2
		TRV relay		✓				✓	M25	-	■	-	SET 2
		LCD TRV relay			✓			✓	M25	-	■	-	SET 2
		BUS		✓				✓	M25	-	■	-	SET 2
		LCD BUS			✓			✓	M25	-	■	-	SET 2
Cable sensors	TF14+	TRV/TRA	✓						M20	-	■	□	SET 2
	TF25+	TRV/TRA	✓						M20	-	■	□	SET 2
		LCD TRV/TRA			✓			✓	M20	-	■	□	SET 2
		TRV relay		✓				✓	M25	-	■	□	SET 2
		LCD TRV relay			✓			✓	M25	-	■	□	SET 2
		BUS		✓				✓	M25	-	■	□	SET 2
		LCD BUS			✓			✓	M25	-	■	□	SET 2








ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

HUMIDITY 							Mounting clip	Mounting base	Mounting flange	Cable entry	Accessories	
			USE-S	USE-M	USE-M (LCD)	USEapp						
Room sensors	FTP+	VV/AA		✓			-	■	-	M20	SET 2	
	FT-RDF18+	VV/AA	✓				-	■	-	M20	SET 2	
	FTB+	VV/AA		✓			-	■	-	M20	SET 2	
Duct sensors	FTK+	VV/AA	✓				-	□	■	M20	SET 2	
		LCD VV/AA			✓	✓	-	□	■	M20	SET 2	
		VV relay		✓		✓	-	□	■	M25	SET 2	
		LCD VV relay			✓	✓	-	□	■	M25	SET 2	
		BUS		✓		✓	-	□	■	M25	SET 2	
		LCD BUS			✓	✓	-	□	■	M25	SET 2	
Outdoor sensors	WSA	VV/AA	✓				-	-	-	M20	SET 2	
		BUS		✓		✓	-	-	-	M25	SET 2	
	FTA54+	VV		✓			-	■	-	M20	SET 2	
		AA		✓			-	■	-	M20	SET 2	
		LCD VV/AA			✓	✓	-	■	-	M20	SET 2	
		VV relay		✓		✓	-	■	-	M25	SET 2	
		LCD VV relay			✓	✓	-	■	-	M25	SET 2	
		BUS		✓		✓	-	■	-	M25	SET 2	
	LCD BUS			✓	✓	-	■	-	M25	SET 2		
	Condensation/Leakage	LS02+	LS02+	✓				-	-	-	M20	SET 2
24 V			✓				-	-	-	M20	SET 2	
WK01+		ext. 24 V	✓				-	■	-	M20	SET 2	
		ext. 230 V		USE-L			✓	-	■	-	M20	SET 2
WK02+		ext. 24 V		USE-L			✓	-	■	-	M20	SET 2
		ext. 230 V		USE-L			✓	-	■	-	M20	SET 2

ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

PRESSURE & VELOCITY 									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp					
Differential Pressure and Volume Flow Transducer	DPA+	VV				✓		✓	M20	-	■	-	SET 2
		AA Dual VV/AA				✓		✓	M20	-	■	-	SET 2
		LCD VV/AA LCD Dual VV/AA					✓	✓	M20	-	■	-	SET 2
		VV relay				✓		✓	M25	-	■	-	SET 2
		LCD VV relay LCD Dual 4xV					✓	✓	M25 M20	-	■	-	SET 2
		BUS Dual BUS				✓		✓	M25	-	■	-	SET 2
		LCD BUS LCD Dual BUS					✓	✓	M25	-	■	-	SET 2








ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

AIR QUALITY 									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp					
Pendulum sensor	LP+	V		✓					M20	-	■	-	SET 2
		Duct sensor	LK+ CO2+VOC	VV		✓					M20	-	-
AA				✓				✓	M20	-	-	■	SET 2
LCD VV/AA					✓			✓	M20	-	-	■	SET 2
Temp 3xV				✓				✓	M20	-	-	■	SET 2
Temp_rH 4xV				✓				✓	M20	-	-	■	SET 2
LCD Temp 3xV						✓		✓	M20	-	-	■	SET 2
LCD Temp_rH 4xV						✓		✓	M20	-	-	■	SET 2
VV relay				✓				✓	M25	-	-	■	SET 2
LCD VV relay						✓		✓	M25	-	-	■	SET 2
BUS				✓				✓	M25	-	-	■	SET 2
LCD BUS						✓		✓	M25	-	-	■	SET 2
Temp BUS				✓				✓	M25	-	-	■	SET 2
LCD Temp BUS						✓		✓	M25	-	-	■	SET 2
Temp_rH BUS				✓				✓	M25	-	-	■	SET 2
LCD Temp_rH BUS				✓		✓	M25	-	-	■	SET 2		







ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

AIR QUALITY 									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp					
Duct sensor	LK+ CO2	V		✓					M20	-	-	■	SET 2
		Temp VV		✓					M20	-	-	■	SET 2
		Temp AA		✓				✓	M20	-	-	■	SET 2
		LCD Temp VV/AA			✓			✓	M20	-	-	■	SET 2
		Temp_rH 3xV		✓				✓	M20	-	-	■	SET 2
		LCD Temp_rH 3xV			✓			✓	M20	-	-	■	SET 2
		Temp VV relay		✓				✓	M25	-	-	■	SET 2
		LCD Temp VV relay			✓			✓	M25	-	-	■	SET 2
		Temp BUS		✓				✓	M25	-	-	■	SET 2
		LCD Temp BUS			✓			✓	M25	-	-	■	SET 2
		Temp_rH BUS		✓				✓	M25	-	-	■	SET 2
		LCD Temp_rH BUS			✓			✓	M25	-	-	■	SET 2








ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

AIR QUALITY 									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp					
Duct sensor	LK+ CO2 100	V		✓					M20	-	-	■	SET 2
		VV		✓					M20	-	-	■	SET 2
		AA		✓				✓	M20	-	-	■	SET 2
		LCD VV/AA			✓			✓	M20	-	-	■	SET 2
		3xV		✓				✓	M20	-	-	■	SET 2
		LCD 3xV			✓			✓	M20	-	-	■	SET 2
		VV relay			✓			✓	M25	-	-	■	SET 2
		LCD VV relay				✓		✓	M25	-	-	■	SET 2
		Temp BUS			✓			✓	M25	-	-	■	SET 2
		LCD Temp BUS				✓		✓	M25	-	-	■	SET 2
		Temp_rH BUS			✓			✓	M25	-	-	■	SET 2
		LCD Temp_rH BUS				✓		✓	M25	-	-	■	SET 2

ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

AIR QUALITY 									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp					
Duct sensor	LK+ VOC	V / Temp VV		✓					M20	-	-	■	SET 2
		Temp AA		✓				✓	M20	-	-	■	SET 2
		LCD Temp VV/AA			✓			✓	M20	-	-	■	SET 2
		Temp_rH 3xV		✓				✓	M20	-	-	■	SET 2
		LCD Temp_rH 3xV			✓			✓	M20	-	-	■	SET 2
		Temp VV relay		✓				✓	M25	-	-	■	SET 2
		LCD Temp VV relay			✓			✓	M25	-	-	■	SET 2
		Temp BUS		✓				✓	M25	-	-	■	SET 2
		LCD Temp BUS			✓			✓	M25	-	-	■	SET 2
		Temp_rH BUS		✓				✓	M25	-	-	■	SET 2
LCD Temp_rH BUS			✓			✓	M25	-	-	■	SET 2		








ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

AIR QUALITY 									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp					
Outdoor sensor	LA+	V		✓					M20	-	■	-	SET 2
		VV		✓				✓	M20	-	■	-	SET 2
		AA		✓				✓	M20	-	■	-	SET 2
		LCD VV/AA			✓			✓	M20	-	■	-	SET 2
		3xV		✓				✓	M20	-	■	-	SET 2
		LCD 3xV			✓			✓	M20	-	■	-	SET 2
		VV relay		✓				✓	M25	-	■	-	SET 2
		LCD VV relay				✓		✓	M25	-	■	-	SET 2
		BUS		✓				✓	M25	-	■	-	SET 2
		LCD BUS				✓		✓	M25	-	■	-	SET 2
		Temp BUS		✓				✓	M25	-	■	-	SET 2
		LCD Temp BUS				✓		✓	M25	-	■	-	SET 2
		Temp_rH BUS		✓				✓	M25	-	■	-	SET 2
LCD Temp_rH BUS				✓		✓	M25	-	■	-	SET 2		

ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

LIGHT & MOTION 									Cable entry	Mounting clip	Mounting base	Mounting flange	Accessories
			USE-S	USE-M	USE-M (LCD)	USE-L	USE-L (LCD)	USEapp					
Multi sensor	Li65+	V/VV		✓					M20	-	■	-	SET 2
		A/AA		✓				✓	M20	-	■	-	SET 2
		3xV/4xV		✓				✓	M20	-	■	-	SET 2
		Temp BUS		✓				✓	M25	-	■	-	SET 2
		Temp_rH BUS		✓				✓	M25	-	■	-	SET 2
		Temp_rH_hPa BUS		✓				✓	M25	-	■	-	SET 2
Light sensor	LDF+	V/A		✓				✓	M20	-	■	-	SET 2
		Dual VV/AA		✓				✓	M20	-	■	-	SET 2
		BUS		✓				✓	M25	-	■	-	SET 2
		Dual BUS		✓				✓	M25	-	■	-	SET 2

ACCESSORIES (included in delivery)		
SET 1	Cable entry M16	1x
	Cover screw	1x
	Mounting clip	1x
	Sealing insert (rubber based)	1x
	Screws (countersunk head)	2x
	Screw cover	1x
SET 2	Cover screw	1x
	Screws (rounded head)	2x
	Rawlplugs	2x
	Screws (countersunk head)	2x
	Screw cover	1x

Explanation: ■ included in delivery □ optional - not compatible

REFERENCES



LARGEST PROJECT:
OVER **13.000** DEVICES

EUROPEAN CENTRAL BANK
FRANKFURT, GERMANY



SEMPER OPERA
DRESDEN, GERMANY



FONDATION LOUIS VUITTON
PARIS, FRANCE



THE WHITE HOUSE
WASHINGTON D.C., USA



WALDORF ASTORIA
BERLIN, GERMANY



AIRPORT ROISSY CHARLES DE GAULLE
PARIS, FRANCE



CHANGI CITY POINT SHOPPING MALL
SINGAPORE



PRIME TOWER
ZURICH, SWITZERLAND



TOMSON RIVIERA APARTMENT TOWERS
SHANGHAI, CHINA

CONTACT

Thermokon Sensortechnik GmbH

Platanenweg 1 | 35756 Mittenaar | Germany
Phone: +49 2778 6960-0 | Fax: +49 2778 6960-400
email@thermokon.de | www.thermokon.de

AUSTRIA

Thermokon Components GmbH

Heid-Werkstraße 4 | 2000 Stockerau
Phone: +43 2266 67485 | Fax: +43 2266 67485-34
info@thermokon.at | www.thermokon.at

CHINA

Thermokon Automation Equipment Co. Ltd.

479 Chun Dong Road | Xin Zhuang Industry Park,
Building C-1, 2/Floor | 201108 Shanghai
Phone: +86 21 5176 0211 | Fax: +86 21 5176 0213
info@thermokon.asia | www.thermokon.asia

FINLAND

Thermokon Sensor Technology Finland OY

Edelfeltinkatu | 48200 Kotka
Phone: +358 45 230 7141
info@thermokon.fi | www.thermokon.fi

HONG KONG

Thermokon Sensor Technology Ltd.

Rm. 2001, 20/F, St. George's Building | 2, Ice House Street
Central Hong Kong
Phone: +852 3468 8636 | Fax: +852 3621 0002
info@thermokon.asia | www.thermokon.asia

NETHERLANDS

Thermokon Sensor Technology Nederland B.V.

Rozenstraat 11 | 6361 HS Nuth
Phone: +3165 05 50 61 99
email@thermokon.nl | www.thermokon.nl

SWEDEN

Thermokon-Danelko Elektronik AB

Metallgatan 1b | 26272 Ängelholm
Phone: +46 4 314484 54 | Fax: +46 4 3114 19 0
info@thermokon.se | www.thermokon.se

SWITZERLAND

Thermokon Sensortechnik Schweiz AG

Zürichstraße 46 | 8303 Bassersdorf
Phone: +41 447 5250-00 | Fax: +41 447 5250-01
email@thermokon.ch | www.thermokon.ch